

AMENDED

APPLICATION FOR PERMIT

Serial No. 7018

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office DEC - S 1923
 Returned to applicant for correction DEC 11 1923
 Corrected application filed JAN - S 1924

The undersigned J. A. Spiker, Trustee
Name of applicant
 of Unionville, County of Pershing,
 State of Nevada, hereby makes application for
 permission to appropriate the public waters of the State of Nevada, as
 hereinafter stated. (If applicant is a corporation, give date and place
 of incorporation.)

1. The source of the proposed appropriation is South Fork of Buena Vista Creek
Name of stream, lake, or other source
2. The amount of water applied for is Thirty-five second-feet.
One-second-foot equals 40 miners' inches
3. The water to be used for Power for mining purposes
Irrigation, power, mining, manufacturing, domestic, or other use
4. The water is to be diverted from its source at the following point:
The point of diversion bearing South 47 3/4° West 2,640 ft from 1/4 Section
Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section-corner. If on unsurveyed land, it should be so stated.
corner on East Boundary Line of Section 28 Township 30 Range 34 North
M.D.B & M.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

- (a) Number of acres to be irrigated is _____
- (b) Description of land to be irrigated _____
Describe by legal subdivision, or if on unsurveyed land it should be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.

Use of water will begin about _____
 (c) ~~Irrigation will begin about~~ June and end about _____
Month
May, of each year.
Month

IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:

- (d) Power to be developed is 100 horsepower.
- (e) Works to be located in the S.W. 1/4 of S.E. 1/4, the North 1/2 of S.E. 1/4
Give 40-acre subdivision on which works will be located, or locate by course and distance to a section-corner.
of section 28., and the S.W. 1/4 of the N.W. 1/4 of Section 27., Township 30
North, Range 34 East M.D. Base and Meridian
- (f) Point of return of water to stream bearing North 36° 41' 5" East
Describe in same manner as point of diversion.
3,205 ft from the South West Corner of the S.W. 1/4 of the N.W. 1/4 of
Section 27 Township 30 North Range 34 East M.D. Base and Meridian.
- (g) Remarks _____

DESCRIPTION OF PROPOSED WORKS

To be diverted through a 22" wood pipe line, about 3/4 of a mile
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water
long; then to a high pressure line, with a head of about 350 feet,
is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.
through a Pelton water wheel direct connected to a generator, and then
returning said water to the creekbed at a point above any users of
water for irrigation purposes.

5. Estimated cost of works \$15,000.00
6. Estimated time required to construct works Two years
7. Remarks The diversion of said stream will be at a point about one
For use of applicant
mile above any users of water for irrigation purposes.

J. A. Spiker
Trustee, Applicant.

By J. A. Spiker

Compared HMP.EF

This sheet inspected

Witnessed by *Aug. 29, 1932*
Esco W. Maloney State Engineer

, Engineer.

PROTESTED February 11, 1924, by Enrico Salvai

OF STATE ENGINEER

This is to certify that I have examined the foregoing application,
and do hereby grant the same, subject to the following limitations and
conditions:

The amount of water to be appropriated shall be limited to the amount
which can be applied to beneficial use, and not to exceed
cubic feet per second.

Actual construction work shall begin on or before

Proof of commencement of work shall be filed before

Work must be prosecuted with reasonable diligence and be completed on or
before

Proof of completion of work shall be filed before

Application of water to beneficial use shall be made on or before

. Proof of the application of water to beneficial
use must be filed with State Engineer on or before

WITNESS MY HAND AND SEAL this day
of

State Engineer.